

Model	Nominal "JT"	Joint Opening "JT"		Total Movement	Mat. Code
		Seismic Min.	Thermal Min.		
LASBNE-NBR-6-1.5-18	6"	1"	5.8125"	7"	6"

NOTE THAT WHEN THE OPTIONAL FIRE BARRIER IS SELECTED THE MINIMUM JOINT OPENING WILL BE LARGER THAN SHOWN IN TABLE.

ARCHITECT/CONTRACTOR NOTE:
 ALL SUBASSEMBLY COMPONENTS TO BE PROVIDED IN 10'-0" OR 20'-0" STOCK LENGTHS UNLESS OTHERWISE NOTED. THE SPECIFIC SYSTEMS DICTATE THE LENGTHS PROVIDED.


Representative: _____

Customer: _____

Project: _____

Location: _____

Project Number: _____



MM

MM SYSTEMS

50 MM WAY
 PENDERGRASS, GA. 30567
 PHONE: 706-824-7500
 866-50 MM WAY
 866-506-6929
 FAX: 706-824-7501

www.mmssystemscorp.com

For Spec-Data, Installation Guides, or movement requirements, contact MMSC

RIGHTS OF DESIGN

All rights of design, detail, engineering and/or invention contained herein are the property of MM Systems Corporation and hereby reserved and are not to be reproduced or provided to any other party. MM Systems Corporation reserves the right to amend or withdraw any information contained herein without notice and will not be liable for any inaccuracy or ambiguity of said information.

Model: **LASBNE-NBR-6-1.5-18**

Drawn by: _____

Scale: NTS

Drawing Number: _____

SHT. OF .

Issue Date: 12-13-06