

IMPORTANT LIFE SAFETY PRODUCT NOTE

PF-2018F-SC-1-1 (OPTIONAL) TO ACHIEVE RATING, 2-HOUR FIRE BARRIER MUST BE INSTALLED IN 2-HOUR RATED SLAB, MINIMUM 4-1/2" JT. FACE. BARRIERS MUST BE INSTALLED IN STRICT ACCORDANCE WITH TYPICAL FLOOR FIRE BARRIER INSTALLATION INSTRUCTIONS PROVIDED IN THIS SUBMITTAL.

* CONTACT FACTORY FOR OTHER STYLES OF FIRE BARRIER

	Nominal	Joint Opening "JT"				Total	Mat.
Model	"JT"	Seismic Min.	Thermal Min.	Thermal Max.	Seismic Max.	Movement	Code
LASF-NB-1-1	1"	0.25"	0.625"	1.375"	2"	1.75"	NB1901
LASF-NB-1-1 w/ PF-2018F-SC-1-1	1"	0.875"	0.875"	1.375"	2"	1.125"	NB1901

ARCHITECT/CONTRACTOR NOTE:

ALL SUBASSEMBLY COMPONENTS TO BE PROVIDED IN 10'-0" OR 20'-0" STOCK LENGTHS UNLESS OTHERWISE NOTED. THE SPECIFIC SYSTEMS DICTATE THE LENGTHS PROVIDED.

Representative: Customer Project: Location: Project Number: RIGHTS OF DESIGN 50 MM WAY LASF-NB-1-1 All rights of design, detail, engineering and/or PENDERGRASS, GA. 30567 invention contained herein are the property of MM PHONE: 706-824-7500 Model: Systems Corporation and hereby reserved and are not 800-241-3460 MM SYSTEMS Drawn by: Scale: Drawing Number: to be reproduced or provided to any other party. MM FAX: 706-824-7501 LMP Systems Corporation reserves the right to amend or NTS **NB1901** withdraw any information contained herein without Issue Date: www.mmsystemscorp.com SHT. OF notice and will not be liable for any inaccuracy or 08-30-31 For Spec-Data, Installation Guides, or movement requirements, contact MMSC ambiguity of said information.