



HIGH MODULUS RUBBER WEARING SURFACE (FIELD APPLY LIQUID RUBBER ACROSS ALL SPLICE LOCATIONS & ALONG ENTIRE JOINT RUN)

EIH SERIES EXPANSION JOINT WITH RUBBER END CAP (SEE DRAWING 30450-01)

* INTERFERENCE COMPRESSION

EXISTING EXPANSION JOINT

* SPLICING NOTE:
INSTALL EIH EXPANSION JOINT FOAM INTO EXISTING EXPANSION JOINT CREATING A 0.50" [13mm] INTERFERENCE FIT

New to Existing Butt Splice Expansion Joint Transition
(Slab-to-Slab)



MM
MM SYSTEMS

50 MM WAY
PENDERGRASS, GA. 30567
PHONE: 706-824-7500
866-506-6929
FAX: 706-824-7501

www.mm-usa.com

For Spec-Data, Installation Guides, or movement requirements, contact MMSC

RIGHTS OF DESIGN

All rights of design, detail, engineering and/or invention contained herein are the property of MM Systems Corporation and hereby reserved and are not to be reproduced or provided to any other party. MM Systems Corporation reserves the right to amend or withdraw any information contained herein without notice and will not be liable for any inaccuracy or ambiguity of said information.

Expanding Impregnated Self-Healing Foam System
EIH New-to-Existing Transitions

Drawn by:

DMW

Scale:

NTS

Drawing Number:

Sheet: 1 OF 1

Issue Date:
12-18-2014

30451-03