
| Model | Nominal (JO _N) | | Nominal (SL _N) | | Thermal Movement (JO _T) | | | | Seismic Movement (JOs) | | | | Total (JO∆) | |
|---------|-------------------------------|-----|-------------------------------|-----|-------------------------------------|----|---------|-----|------------------------|----|---------|-----|-------------|-----|
| Number | | | | | Minimum | | Maximum | | Minimum | | Maximum | | Movement | |
| EMC-250 | 1.50 | 38 | 9.50 | 241 | 0.75 | 19 | 2.50 | 64 | 0.75 | 19 | 3.25 | 83 | 2.50 | 64 |
| EMC-350 | 2.00 | 57 | 10.00 | 254 | 1.00 | 25 | 3.50 | 89 | 1.00 | 25 | 4.25 | 108 | 3.25 | 83 |
| EMC-450 | 3.00 | 76 | 11.00 | 279 | 1.50 | 38 | 4.50 | 114 | 1.50 | 38 | 5.50 | 140 | 4.00 | 102 |
| EMC-550 | 4.00 | 102 | 12.00 | 305 | 1.50 | 38 | 5.50 | 140 | 1.50 | 38 | 6.50 | 165 | 5.00 | 127 |

250 SE

SEAL PROFILES

Dimension shown in inches (bold) and millimeters. JO = Joint Opening. SL = Sight Line. Color Options for rubber seals are Black or Special Order Gray.



★ IMPORTANT DIMENSION - ACHIEVE REQUIRED DEPTH BY EXACT FORMING, GRINDING, MILLING OR STRUCTURAL LEVELING BED

EMC Series Expansion Joint

(Slab-to-Slab)



50 MM WAY PENDERGRASS, GA. 30567 706-824-7500 PHONE 800-241-3460 TOLL FREE 706-824-7501 FAX

www.mm-usa.com

For Spec-Data, Install Guides and other data visit www.mm-usa.com.

4.375"

[111mm]

RIGHTS OF DESIGN

All rights of design, detail, engineering and/or invention contained herein are the property of MM Systems Corporation and hereby reserved and are not to be reproduced or provided to any other party. MM Systems Corporation reserves the right to amend or withdraw any information contained herein without notice and will not be liable for any inaccuracy or ambiguity of said information.

Elastolok Membrane Cast-In Expansion Joint EMC Series

| Drawn by: | Scale: | | | | |
|-------------|---------------------------|--|--|--|--|
| DMW | NTS | | | | |
| SHT. 1 OF 1 | Issue Date: 04-26-2016 | | | | |

0.50"(12mm) DIA X 3"(76mm)

CAST-IN-PLACE EMBED BASE FRAME WITH CHROMATE CONVERSIONS COATING

ANCHOR BOLTS @ 16"(406mm) O.C.

STAGGERED BETWEEN BOLT CAVITIES

Drawing Number:

30550-01